EXHIBIT 23

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 2 of 39



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
15/130,919	04/15/2016	Robert A. Lambourne	07-0901-CON0416	9288	
	7590 04/25/201 Shnen Hulbert & Bergh	EXAMINER			
Sonos, Inc. 300 South Wacker Drive			MCCORD, PAUL C		
Chicago, IL 606	506		ART UNIT	PAPER NUMBER	
			2656		
			MAIL DATE	DELIVERY MODE	
			04/25/2018	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 3 of 39					
	Application No. 15/130,919	Applicant(s) LAMBOURNE, ROBERT A.			
Office Action Summary	Examiner PAUL MCCORD	Art Unit 2656	AIA (First Inventor to File) Status No		
The MAILING DATE of this communication appo Period for Reply	ears on the cover sheet with the c	orresponden	ce address		
A SHORTENED STATUTORY PERIOD FOR REPLY THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period wi - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed the mailing date of D (35 U.S.C. § 133	f this communication.		
Status					
1) Responsive to communication(s) filed on 4/15/7 A declaration(s)/affidavit(s) under 37 CFR 1.13	30(b) was/were filed on				
·—	action is non-final.				
 An election was made by the applicant in response to a restriction requirement set forth during the interview on; the restriction requirement and election have been incorporated into this action. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims*					
5) Claim(s) 1-33 is/are pending in the application. 5a) Of the above claim(s) is/are withdraw 6) Claim(s) is/are allowed. 7) Claim(s) 1-33 is/are rejected. 8) Claim(s) is/are objected to. 9) Claim(s) are subject to restriction and/or * If any claims have been determined allowable, you may be elicoparticipating intellectual property office for the corresponding ap http://www.uspto.gov/patents/init_events/pph/index.jsp or send Application Papers	election requirement. gible to benefit from the Patent Pros pplication. For more information, plea	ise see	way program at a		
10) The specification is objected to by the Examiner	<i>.</i>				
11) ☐ The drawing(s) filed on <u>4/15/16</u> is/are: a) ☐ acc Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction	drawing(s) be held in abeyance. See	37 CFR 1.85			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). Certified copies: a) All b) Some** c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). ** See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)	_				
 Notice of References Cited (PTO-892) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/S Paper No(s)/Mail Date 	3) Interview Summary Paper No(s)/Mail Da (B/08b) 4) Other:				

Art Unit: 2656

1) The present application is being examined under the pre-AIA first to invent provisions.

The present application, filed on or after March 16, 2013, is being examined under the

Page 2

first inventor to file provisions of the AIA

DETAILED ACTION

Priority

1.

2. Applicant's claim for the benefit of a prior-filed application under 35 U.S.C. 119(e) or under 35 U.S.C. 120, 121, 365(c), or 386(c) is acknowledged. Applicant has not complied with one or more conditions for receiving the benefit of an earlier filing date under 35 U.S.C. 112 as follows:

The later-filed application must be an application for a patent for an invention which is also disclosed in the prior application (the parent or original nonprovisional application or provisional application). The disclosure of the invention in the parent application and in the later-filed application must be sufficient to comply with the requirements of 35 U.S.C. 112(a) or the first paragraph of pre-AIA 35 U.S.C. 112, except for the best mode requirement. See *Transco Products, Inc. v. Performance Contracting, Inc.*, 38 F.3d 551, 32 USPQ2d 1077 (Fed. Cir. 1994)

The disclosure of the prior-filed application, Application No. 60825407, 11853790, 13896829 filed respectively 9/12/2006, 9/11/2007, 5/17/2013 fails to provide adequate support or enablement in the manner provided by 35 U.S.C. 112(a) or pre-AIA 35 U.S.C. 112, first

Application/Control Number: 15/130,919

Art Unit: 2656

paragraph for one or more claims of this application. The recited display of a selectable

indication of a zone scene which upon selection invokes the zone scene onto plural of the

playback devices lacks written description in the above referenced applications. Accordingly the

instant application will be afforded the 8/21/14 priority date of prior filed application 14465457.

Claim Rejections - 35 USC § 103

3. In the event the determination of the status of the application as subject to AIA 35 U.S.C.

102 and 103 (or as subject to pre-AIA 35 U.S.C. 102 and 103) is incorrect, any correction of the

statutory basis for the rejection will not be considered a new ground of rejection if the prior art

relied upon, and the rationale supporting the rejection, would be the same under either status.

4. The following is a quotation of 35 U.S.C. 103 which forms the basis for all obviousness

rejections set forth in this Office action:

A patent for a claimed invention may not be obtained, notwithstanding that the claimed invention is not identically disclosed as set forth in section 102 of this title, if the differences between the claimed invention and the prior art are such that the claimed invention as a whole would have been obvious before the effective filing date of the claimed invention to a person having ordinary skill in the art to which the claimed invention pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459

(1966), that are applied for establishing a background for determining obviousness under 35

U.S.C. 103 are summarized as follows:

1. Determining the scope and contents of the prior art.

2. Ascertaining the differences between the prior art and the claims at issue.

3. Resolving the level of ordinary skill in the pertinent art.

Page 4 of 38

Application/Control Number: 15/130,919

Art Unit: 2656

4. Considering objective evidence present in the application indicating obviousness or

nonobviousness.

6. Claims 1-33 rejected under 35 U.S.C. 103 as being unpatentable over Yamaha DME

Designer Version 3.5 (hereinafter DME: manual provided by Examiner; available for sale and

manual copyright at least 2004).

7. Regarding claim 1, 12, 23

DME teaches:

A multimedia controller, method and medium bearing coded instructions for and

including a processor, the controller configured to:

receive, via a network interface, zone configuration data from a first independent

playback device (DME: pp 3-8; Ch. 3, 4; Particularly pp 193-186: DME configuration

files comprising zones, scenes, configurations, etc. saved on any of plural independent

playback devices in the form of each/any DME type device(s) in a configuration, the

DME device accessed and the DME configuration data retrieved over a network by/to a

controller in the form of a personal computer),

wherein the zone configuration data is configured via the controller (DME: pp 3-

8, 47-51; Ch. 4, 6: a controller operates to configure zones, scenes, configurations, etc.

the configurations comprising components, parameters, etc. edited and saved by the

controller and instantiated upon the DME device(s)) and

maintained at the first independent playback device (DME: pp 3-8; 47-51, 54-69:

configurations may be saved to, instantiated upon the DME device(s)), and

Art Unit: 2656

Page 5

wherein the zone configuration data characterizes one or more zone scenes (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: a configuration characterizes a zone, scene, etc. as a collection of components and a description of connections between/among said components) wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices (DME: pp 3-8: configurations comprise user definable groupings of components/connections instantiable on/over up to 16 independent playback devices); and

cause a selectable indication of the at least one of the one or more zone scenes to be displayed (DME: pp 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent playback device(s), opened/edited zone scenes instantiated upon the plurality of playback devices using a synchronization command or front panel controls), wherein the displayed selectable indication is selectable to cause the one or more zone scenes to be invoked by the two or more independent playback devices (DME: pp 92-95, Ch. 4, 5; see also pp 493-499).

DME causes an indication to be displayed which is provided by the utility of an open or new command sufficient to open or create a zone scene for instantiation on the plurality of playback devices (see at least DME pp 3-8; 47-51, 54-69, 92-95) these operations function to open or otherwise instantiate a particular configuration of players. This is considered substantially similar to the disclosed invocation of a scene such as

Art Unit: 2656

Page 6

upon the instant disclosed players upon the event of a stored alarm configuration (see ¶ 57-60; Fig 3A, 4 of the instant PGPub: 20160234615; Examiner must point out that this is the extent of the indication disclosed by the 60825407, 11853790, 13896829 applications) DME further discloses the display of selectable indications that invoke particular scenes based on a user selection of the displayed selectable indicator (DME 493-499: by user selection of the P 495 displayed scene 1, scene 2, etc.). DME admits of separate possibilities for such an invocation of scenes upon DME type devices using controls such as the P 495 scene instantiation an embodiment where each of the scene controls operate to select configurations using a single DME type device, an embodiment where a scene control such as "scene 1" operates to invoke a configuration on one DME type device and where a second scene control "scene 2" operates on to invoke a configuration on a setup comprising plural (2 to 16) DME type devices, and an embodiment where each scene control "scene 1," "scene 2," etc. operates to invoke configurations comprising plural DME type devices. As such Examiner considers that it would have been obvious to one of ordinary skill in the art on or before the effective priority date of the instant application to operate the DME disclosed displayed selectable indicators to cause one or more zone scenes to be invoked on two or more playback devices. As this would comprise no more than a choice between a finite number of identified predictable solutions, with a reasonable expectation of success such a configuration would have been obvious to try. The average skilled practitioner would have been motivated to do so for the purpose of quickly instantiating enterprise wide

Art Unit: 2656

configurations of 2 to 16 DME type devices and would have expected no more than predictable results therefrom.

Page 7

8. Regarding claim 2, 13, 24

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein causing the selectable indication of the at least one of the one or more zone scenes to be displayed comprises causing an indication of the group configuration associated with the two or more independent playback devices to be displayed. (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: configurations may be opened or otherwise displayed, edited or otherwise operated upon and instantiated to the playback devices (s), saved, etc.)

9. Regarding claim 2, 13, 24

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the indication of the group configuration comprises one group of independent playback devices (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: up to 16 playback devices may be configured, operated upon, etc.).

10. Regarding claim 4, 15, 26

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the indication of the group configuration comprises two or more groups of independent

Art Unit: 2656

playback devices (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: up to 16 playback devices may be variously grouped).

Page 8

11. Regarding claim 5, 16, 27

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: after causing the indication of the at least one of the one or more zone scenes to be displayed, cause at least one of the one or more zone scenes to be activated (DME: pp 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent playback device(s), opened/edited zone scenes instantiated upon the plurality of playback devices using a synchronization command or front panel controls).

12. Regarding claim 6, 17, 28

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: after causing the indication of the at least one of the one or more zone scenes to be displayed, cause one of the at least one of the one or more zone scenes to be activated (DME: pp 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent

Art Unit: 2656

playback device(s), opened/edited zone scenes instantiated upon the plurality of playback devices using a synchronization command or front panel controls).

Page 9

13. Regarding claim 7, 18, 29

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: before receiving the zone configuration data, send, to the first independent playback device, a command to save the at least one of the one or more zone scenes (DME: pp 3-8; 47-69: configurations saved to particular any independent playback device(s), a configuration must be saved in order to be further opened, received, etc.).

14. Regarding claim 8, 19, 30

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the command to save the at least one of the one or more zone scenes comprises (a) an indication of two or more independent playback devices identified by the zone scene and (b) at least one other parameter pertaining to the scene (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: a configuration characterizes a zone, scene, etc. as a collection of components instantiated on/over plural independent playback devices and a description of connections between/among said components and devices).

15. Regarding claim 9, 20, 31

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the at least one other parameter pertaining to the scene is one or more of (i) a volume

Application/Control Number: 15/130,919 Page 10

Art Unit: 2656

level (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: volume controls variously managed by at least mixer components as well as other among the output controls), (ii) a specific music (DME: Ch. 3, 6: analog input controls define the specific audio input to a particular channel in the configuration or a way file to a particular channel), (iii) a play mode (DME: Ch. 3, 6: play modes include determinations of specific music by directing an input to a channel or a way file to a channel), or (iv) an equalization (DME: Ch. 6: equalization parameters saved, edited instantiated by at least equalizer components included in a zone, scene, configuration).

16. Regarding claim 10, 21, 32

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein each of the independent playback devices is associated with a name (DME: pp 3-8; 47-51, 54-69: various DME type devices identified by name).

17. .Regarding claim 11, 22, 33

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein each of the one or more zone scenes is associated with a name (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: configurations saved, opened, instantiated by name).

Conclusion

Application/Control Number: 15/130,919

Art Unit: 2656

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to PAUL MCCORD whose telephone number is (571)270-3701.

The examiner can normally be reached on M-F 7:30AM - 5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, CURTIS KUNTZ can be reached on (571)272-7499. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/PAUL MCCORD/

Primary Examiner, Art Unit 2656

Page 12 of 38

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 14 of 39 Electronic Acknowledgement Receipt				
EFS ID:	34119703			
Application Number:	15130919			
International Application Number:				
Confirmation Number:	9288			
Title of Invention:	Zone Scene Activation			
First Named Inventor/Applicant Name:	Robert A. Lambourne			
Customer Number:	107361			
Filer:	Brandon Jacob Kennedy			
Filer Authorized By:				
Attorney Docket Number:	07-0901-CON0416			
Receipt Date:	25-OCT-2018			
Filing Date:	15-APR-2016			
Time Stamp:	17:32:24			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted with Payment	yes
Payment Type	CARD
Payment was successfully received in RAM	\$1400
RAM confirmation Number	102618INTEFSW17325900
Deposit Account	132490
Authorized User	Brandon Kennedy

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

37 CFR 1.16 (National application filing, search, and examination fees)

37 CFR 1.17 (Patent application and reexamination processing fees)

Page 13 of 38

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 15 of 39 37 CFR 1.19 (Document supply fees)

37 CFR 1.20 (Post Issuance fees)

37 CFR 1.21 (Miscellaneous fees and charges)

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		Sonos_07-0901-	129616	yes	11
		CON0416_MBHB_15-1461-US- CON2_Response_to_Non- Final_Office_Action.pdf	c08e00c484286bd0d74710b2b72e988629f 92e46		
	Multipart Description/PDF files in .zip description				
	Document De	scription	Start	End	
	Applicant Arguments/Remarks	9	1	1	
	Claims	2	8		
	Amendment/Req. Reconsideration-After Non-Final Reject		1	1	
Warnings:					
Information:					
			30464		
2	Fee Worksheet (SB06)	fee-info.pdf	6ff438a162cbec20ecdc316cb1c769a80cbe cab3	no	2
Warnings:					
Information:					
		Total Files Size (in bytes)	16	50080	

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 16 of 39

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Case No. 07-0901-CON0416 (MBHB 15-1461-US-CON2)

In re Application of:

Robert Lambourne

Serial No.: 15/130,919

Filing Date: April 15, 2016

Title: Zone Scene Activation

Confirmation No.: 9288

Examiner: Paul C. McCord

Group Art Unit: 2656

RESPONSE TO NON-FINAL OFFICE ACTION MAILED APRIL 25, 2018

In response to the Non-Final Office Action mailed April 25, 2018, Applicant submits the following amendments and remarks. Claim amendments are provided beginning at page 2.

Remarks then begin at page 9.

Applicant believes that all fees required for the present response have been filed during the electronic filing process. Applicant authorizes the office to charge any underpayment or credit any overpayment to Deposit Account No. 132490, and to treat any filing in this matter that requires an extension of time as incorporating a request for the extension.

CLAIMS

We Claim:

- 1. (Original) A multimedia controller including a processor, the controller configured to:
 receive, via a network interface, zone configuration data from a first independent
 playback device, wherein the zone configuration data is configured via the controller and
 maintained at the first independent playback device, and wherein the zone configuration data
 characterizes one or more zone scenes, wherein at least one of the one or more zone scenes
 identifies a group configuration associated with two or more independent playback devices; and
 cause a selectable indication of the at least one of the one or more zone scenes to be
 displayed, wherein the displayed selectable indication is selectable to cause the one or more zone
 scenes to be invoked by the two or more independent playback devices.
- 2. (Original) The multimedia controller of claim 1, wherein causing the selectable indication of the at least one of the one or more zone scenes to be displayed comprises causing an indication of the group configuration associated with the two or more independent playback devices to be displayed.
- 3. (Original) The multimedia controller of claim 2, wherein the indication of the group configuration comprises one group of independent playback devices.
- 4. (Original) The multimedia controller of claim 3, wherein the indication of the group configuration comprises two or more groups of independent playback devices.

- Original) The multimedia controller of claim 1, further configured to:
 after causing the indication of the at least one of the one or more zone scenes to be
 displayed, cause at least one of the one or more zone scenes to be activated.
- 6. (Original) The multimedia controller of claim 1, further configured to:
 after causing the indication of the at least one of the one or more zone scenes to be
 displayed, cause one of the at least one of the one or more zone scenes to be activated.
- 7. (Original) The multimedia controller of claim 1, further configured to: before receiving the zone configuration data, send, to the first independent playback device, a command to save the at least one of the one or more zone scenes.
- 8. (Original) The multimedia controller of claim 7, wherein the command to save the at least one of the one or more zone scenes comprises (a) an indication of two or more independent playback devices identified by the zone scene and (b) at least one other parameter pertaining to the scene.
- 9. (Original) The multimedia controller of claim 8, wherein the at least one other parameter pertaining to the scene is one or more of (i) a volume level, (ii) a specific music, (iii) a play mode, or (iv) an equalization.
- 10. (Original) The multimedia controller of claim 1, wherein each of the independent playback devices is associated with a name.

11. (Original) The multimedia controller of claim 1, wherein each of the one or more zone scenes is associated with a name.

12. (Original) A method comprising:

receiving, by a multimedia controller including a processor, via a network interface, zone configuration data from a first independent playback device, wherein the zone configuration data is configured via the controller and maintained at the first independent playback device, and wherein the zone configuration data characterizes one or more zone scenes, wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices; and

causing a selectable indication of the at least one of the one or more zone scenes to be displayed, wherein the displayed selectable indication is selectable to cause the one or more zone scenes to be invoked by the two or more independent playback devices.

- 13. The method of claim 12, wherein causing the selectable indication of the at least one of the one or more zone scenes to be displayed comprises causing an indication of the group configuration associated with the two or more independent playback devices to be displayed.
- 14. (Original) The method of claim 13, wherein the indication of the group configuration comprises one group of independent playback devices.

- 15. (Original) The method of claim 14, wherein the indication of the group configuration comprises two or more groups of independent playback devices.
- 16. (Original) The method of claim 12, further comprising:

 after causing the indication of the at least one of the one or more zone scenes to be displayed, causing at least one of the one or more zone scenes to be activated.
- 17. (Original) The method of claim 12, further comprising:

 after causing the indication of the at least one of the one or more zone scenes to b

 displayed, causing one of the at least one of the one or more zone scenes to be activated.
- 18. (Original) The method of claim 12, further comprising:
 before receiving the zone configuration data, sending, to the first independent playback device, a command to save the at least one of the one or more zone scenes.
- 19. (Original) The method of claim 18, wherein the command to save the at least one of the one or more zone scenes comprises (a) an indication of two or more independent playback devices identified by the zone scene and (b) at least one other parameter pertaining to the scene.
- 20. (Original) The method of claim 19, wherein the at least one other parameter pertaining to the scene is one or more of (i) a volume level, (ii) a specific music, (iii) a play mode, or (iv) an equalization.

- 21. (Original) The method of claim 12, wherein each of the independent playback devices is associated with a name.
- 22. (Original) The multimedia controller of claim 12, wherein each of the one or more zone scenes is associated with a name.
- 23. (Original) A non-transitory computer-readable medium having stored therein instructions executable by one or more processors to cause a computing device to perform operations comprising:

receiving, via a network interface, zone configuration data from a first independent playback device, wherein the zone configuration data is configured via the controller and maintained at the first independent playback device, and wherein the zone configuration data characterizes one or more zone scenes, wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices; and

causing a selectable indication of the at least one of the one or more zone scenes to be displayed, wherein the displayed selectable indication is selectable to cause the one or more zone scenes to be invoked by the two or more independent playback devices.

24. (Original) The non-transitory computer readable medium of claim 23, wherein causing the selectable indication of the at least one of the one or more zone scenes to be displayed comprises causing an indication of the group configuration associated with the two or more independent playback devices to be displayed.

- 25. (Original) The non-transitory computer readable medium of claim 24, wherein the indication of the group configuration comprises one group of independent playback devices.
- 26. (Original) The non-transitory computer readable medium of claim 25, wherein the indication of the group configuration comprises two or more groups of independent playback devices.
- 27. (Original) The non-transitory computer readable medium of claim 23, wherein the operations further comprise:

after causing the indication of the at least one of the one or more zone scenes to be displayed, causing at least one of the one or more zone scenes to be activated.

28. (Original) The non-transitory computer readable medium of claim 23, wherein the operations further comprise:

after causing the indication of the at least one of the one or more zone scenes to be displayed, causing one of the at least one of the one or more zone scenes to be activated.

29. (Original) The non-transitory computer readable medium of claim 23, wherein the operations further comprise:

before receiving the zone configuration data, sending, to the first independent playback device, a command to save the at least one of the one or more zone scenes.

- 30. (Original) The non-transitory computer readable medium of claim 29, wherein the command to save the at least one of the one or more zone scenes comprises (a) an indication of two or more independent playback devices identified by the zone scene and (b) at least one other parameter pertaining to the scene.
- 31. (Original) The non-transitory computer readable medium of claim 30, wherein the at least one other parameter pertaining to the scene is one or more of (i) a volume level, (ii) a specific music, (iii) a play mode, or (iv) an equalization.
- 32. (Original) The non-transitory computer readable medium of claim 23, wherein each of the independent playback devices is associated with a name.
- 33. (Original) The non-transitory computer readable medium of claim 23, wherein each of the one or more zone scenes is associated with a name.

REMARKS

1. Summary of the Office Action

In the Non-Final Office Action mailed April 25, 2018 ("the Action"), the Examiner stated that the disclosures of the prior filed applications, to which the current application claims priority, fail to provide adequate support or enablement in the manner provided by 35 U.S.C. 112(a) or pre-AIA 35 U.S.C. 112, first paragraph for one or more claims of this application. The Examiner also rejected claims 1-33 under 35 U.S.C. § 103 as allegedly unpantentable over Yamaha DME Designer Version 3.5 ("DME").

2. Status of the Claims

Claims 1-33 are pending, of which claims 1, 12, and 23 are independent and the remainder are dependent.

3. Response to Examiner's Statements Regarding Priority Claim

In the current rejection, the Examiner stated that "[t]he recited display of a selectable indication of a zone scene which upon selection invokes the zone scene onto plural of the playback devices lacks written description" in the applications to which the present application claims priority. Applicant respectfully disagrees, and points the Examiner to at least Appendix A to the specification filed in the provisional application No. 60/825,407, at pages 5-8. Therein, Appendix A discusses and illustrates several examples of a "selectable indication of the at least one of the one or more zone scenes," which are "selectable to cause the one or more zone scenes to be invoked by the two or more independent playback devices."

Because this disclosure in provisional application No. 60/825,407 provides written description support for the cited portion of the present claims, the present application should be afforded the September 12, 2006 priority date of the provisional application. Further, and with reference to MPEP 2159.02, the present application does not contain, nor has it contained at any time, "a claim to a claimed invention that has an effective filing date that is on or after March 16, 2013."

4. Response to Rejections under 35 U.S.C. § 103

As noted above, the Examiner rejected claims 1-33 as allegedly unpatentable over Yamaha DME Designer Version 3.5 ("DME Manual"). Applicant respectfully traverses, and submits that the cited reference does not describe all features of independent claims 1, 12, and 23. In particular, in the Examiner's "Reasons for Allowance" of application 14/465,457, to which the current application claims priority, the Examiner identified claim limitations in that application that were not taught in the prior art. Applicant submits that the same allowable claim limitations are present in the current claims.

For example, the DME Manual does not teach or suggest at least "... wherein the zone configuration data is configured via the controller and maintained at the first independent playback device, and wherein the zone configuration data characterizes one or more zone scenes, wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices" in combination with the other elements in claims 1, 12, and 23.

Rather, the DME Manual discloses a group master DME that maintains a group configuration associated with, at most, *one* independent playback device. The DME Manual discloses the connection of a DME Designer application (*e.g.*, running on a personal computer)

to a DME unit that is a "group master" of a given device group. DME Manual p. 3-4.

Configurations and scenes for the device group can be edited via the DME Designer and synced

with the group master DME. *Id.* at p. 40-51. But other DME units within the same device group

are not "independent playback devices", rather they are "slave" devices controlled via the group

master DME. Id. at p. 3 ("Each device Group has one 'Group Master."); id. at p. 4 ("By

connecting the computer on which the DME Designer application is running to a Group Master,

it becomes possible to control multiple devices simultaneously."). Thus, the DME Manual does

not teach or suggest that the group master DME maintains a group configuration associated with

a second group master DME.

Because DME does not teach or suggest all of the elements recited in independent claims

1, 12, and 23, independent claims 1, 12, and 23 are patentable over the cited references. Further,

dependent claims 2-11, 13-22, and 24-33 are patentable over the cited references for at least the

reason that they depend from patentable independent claims.

5. Conclusion

In view of the foregoing, Applicant respectfully requests favorable action. Applicant

does not acquiesce in any assertion in the office action that is not expressly addressed by these

remarks. The Examiner is invited to call the undersigned at (312) 913-3377 with any questions

or comments.

Respectfully submitted,

MCDONNELL BOEHNEN

HULBERT & BERGHOFF LLP

Date: October 25, 2018

By: /Brandon J. Kennedy/

Brandon J. Kennedy

Reg. No. 67,894

11

Page 26 of 38

Case 3:20-cv-06754-WHA Document 723-25 Filed 05/14/23 Page 28 of 39 UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
15/130,919	04/15/2016	Robert A. Lambourne	07-0901-CON0416	9288
	7590 11/14/201		EXAM	IINER
McDonnell Boehnen Hulbert & Berghoff LLP Sonos, Inc.			MCCORD, PAUL C	
300 South Wac				
Chicago, IL 60	606		ART UNIT	PAPER NUMBER
			2656	
			MAIL DATE	DELIVERY MODE
			11/14/2018	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Case 3:20-cy-06754-WHA Document 723-25 Filed 05/14/23 Page 29 of 39						
3333 5.25 5. 50. 5. 11. 11. 2553.	Application No.	Applicant(s)				
Office Action Summary	15/130,919	19 20 Grand Control (19 20 Control (
omoo Honon Cammary	Examiner PAUL C MCCORD	Art Unit 2656	AIA Status No			
	The same of the sa	57 - (400000000000000000000000000000000000	S 9 100			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	corresponden	ice address			
A SHORTENED STATUTORY PERIOD FOR REPL	VIS SET TO EXPIDE 3 MONT	US EDOM TU	E MAILING			
DATE OF THIS COMMUNICATION.	TISSEL TO EXPIRE 3 MONT	no promi in	EWAILING			
 Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. 	.136(a). In no event, however, may a reply be	timely filed				
 If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailir earned patent term adjustment. See 37 CFR 1.704(b). 	te, cause the application to become ABANDO	NED (35 U.S.C. § 13	33).			
Status						
1) Responsive to communication(s) filed on 10/2	<u>25/18</u> .					
☐ A declaration(s)/affidavit(s) under 37 CFR 1 .	. 130(b) was/were filed on					
•	This action is non-final.					
3) An election was made by the applicant in resp ; the restriction requirement and election	n have been incorporated into th	is action.				
4) Since this application is in condition for allowa closed in accordance with the practice under A						
Disposition of Claims*						
5) ✓ Claim(s) <u>1-33</u> is/are pending in the application	cation.					
5a) Of the above claim(s) is/are withdra	awn from consideration.					
6) Claim(s) is/are allowed.						
7) Claim(s) 1-33 is/are rejected.						
8) Claim(s) is/are objected to.						
9) Claim(s) are subject to restriction an	ıd/or election requirement					
st If any claims have been determined <u>allowable</u> , you may be e			nway program at a			
participating intellectual property office for the corresponding a						
http://www.uspto.gov/patents/init_events/pph/index.jsp or send	d an inquiry to <u>PPHfeedback@usp</u> f	<u>to.gov.</u>				
Application Papers						
10) The specification is objected to by the Examiner.						
11) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
Priority under 35 U.S.C. § 119		() ()				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). Certified copies:						
a) ☐ All b) ☐ Some** c) ☐ None of the	he:					
a) ☐ All b) ☐ Some c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No.						
3. Copies of the certified copies of the priority documents have been received in Application No						
application from the International Bureau (PCT Rule 17.2(a)).						
** See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	3) Interview Summa	ary (PTO-413)				
Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/Paper No(s)/Mail Date	(SB/08b) Paper No(s)/Mail Other:	Date				

U.S. Patent and Trademark Office

PTOL-326 (Rev. 11-13)

Application/Control Number: 15/130,919

Art Unit: 2656

Notice of Pre-AIA or AIA Status

The present application is being examined under the pre-AIA first to invent provisions.

DETAILED ACTION

Priority

1. Applicant's assertion of priority as resolving the subject matter in Pages 4-8 of the Appendix to the Provisional Specification filed 9/12/06 is accepted and the priority date of the instant claims is considered to resolve the 9/12/06.

Claim Rejections - 35 USC § 103

- 2. In the event the determination of the status of the application as subject to AIA 35 U.S.C. 102 and 103 (or as subject to pre-AIA 35 U.S.C. 102 and 103) is incorrect, any correction of the statutory basis for the rejection will not be considered a new ground of rejection if the prior art relied upon, and the rationale supporting the rejection, would be the same under either status.
- 3. The following is a quotation of 35 U.S.C. 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent for a claimed invention may not be obtained, notwithstanding that the claimed invention is not identically disclosed as set forth in section 102 of this title, if the differences between the claimed invention and the prior art are such that the claimed invention as a whole would have been obvious before the effective filing date of the claimed invention to a person having ordinary skill in the art to which the claimed invention pertains. Patentability shall not be negated by the manner in which the invention was made.

Application/Control Number: 15/130,919

Art Unit: 2656

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966),

that are applied for establishing a background for determining obviousness under 35 U.S.C. 103 are

summarized as follows:

1. Determining the scope and contents of the prior art.

2. Ascertaining the differences between the prior art and the claims at issue.

3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or

nonobviousness.

5. Claims 1-33 rejected under 35 U.S.C. 103 as being unpatentable over Yamaha DME Designer

Version 3.5 (hereinafter DME: manual provided by Examiner; available for sale and manual copyright at

least 2004).

6. Regarding claim 1, 12, 23

DME teaches:

A multimedia controller, method and medium bearing coded instructions for and

including a processor, the controller configured to:

receive, via a network interface, zone configuration data from a first independent

playback device (DME: pp 3-8; Ch. 3, 4; Particularly pp 193-186: DME configuration files

comprising zones, scenes, configurations, etc. saved on any of plural independent playback

devices in the form of each/any DME type device(s) in a configuration, the DME device accessed

and the DME configuration data retrieved over a network by/to a controller in the form of a

personal computer; the DME type playback devices; absent specific lexicographical definition in

the specification as filed Examiner considers the broadest reasonable interpretation of an

independent device as a device which is physically discrete and/or distinct from another device;

in this context see DME pp 8; each DME device is physically distinct, independently powered,

independently operable or groupable as a zone scene and supportive of independently addressable sets of inputs and outputs),

wherein the zone configuration data is configured via the controller (DME: pp 3-8, 47-51; Ch. 4, 6: a controller operates to configure zones, scenes, configurations, etc. the configurations comprising components, parameters, etc. edited and saved by the controller and instantiated upon the DME device(s)) and

maintained at the first independent playback device (DME: pp 3-8; 47-51, 54-69: configurations may be saved to, instantiated upon the DME device(s)), and

wherein the zone configuration data characterizes one or more zone scenes (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: a configuration characterizes a zone, scene, etc. as a collection of components and a description of connections between/among said components) wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices (DME: pp 3-8: configurations comprise user definable groupings of components/connections instantiable on/over up to 16 independent playback devices); and

cause a selectable indication of the at least one of the one or more zone scenes to be displayed (DME: pp 38-41; 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent playback device(s), opened/edited zone scenes instantiated upon the plurality of playback devices using a synchronization command or front panel controls, please compare the instant selection from a menu shown in DME pp38-41 with the instant claimed indicator selectable from a menu on p 8 of the 9/12/06 Appendix to the Specification; DME also teaches a clickable icon operable to

Art Unit: 2656

select a scene; the independent playback devices also display a menu operable to "cause a selectable indication of the at least one of the one or more zone scenes to be displayed," see pp 496), wherein the displayed selectable indication is selectable to cause the one or more zone scenes to be invoked by the two or more independent playback devices (DME: pp 38-41, 92-95, Ch. 4, 5; see also pp 493-499).

Page 5

DME causes an indication to be displayed which is provided by the utility of an open or new command sufficient to open or create a zone scene for instantiation on the plurality of playback devices (see at least DME pp 3-8; 47-51, 54-69, 92-95) these operations function to open or otherwise instantiate a particular configuration of players. This is considered substantially similar to the disclosed invocation of a scene such as upon the instant disclosed players upon the event of a stored alarm configuration (see ¶ 57-60; Fig 3A, 4 of the instant PGPub: 20160234615; Examiner must point out that this is the extent of the indication disclosed by the 60825407, 11853790, 13896829 applications) DME further discloses the display of selectable indications that invoke particular scenes based on a user selection of the displayed selectable indicator (DME 493-499: by user selection of the P 495 displayed scene 1, scene 2, etc.). DME admits of separate possibilities for such an invocation of scenes upon DME type devices using controls such as the P 495 scene instantiation an embodiment where each of the scene controls operate to select configurations using a single DME type device, an embodiment where a scene control such as "scene 1" operates to invoke a configuration on one DME type device and where a second scene control "scene 2" operates on to invoke a configuration on a setup comprising plural (2 to 16) DME type devices, and an embodiment where each scene control "scene 1," "scene 2," etc. operates to invoke configurations comprising plural DME type devices. As such Examiner considers that it would have been obvious to one of ordinary skill in the art on or before the effective priority date of the instant application to operate the DME

Art Unit: 2656

Page 6

disclosed displayed selectable indicators to cause one or more zone scenes to be invoked on two or more playback devices. As this would comprise no more than a choice between a finite number of identified predictable solutions, with a reasonable expectation of success such a configuration would have been obvious to try. The average skilled practitioner would have been motivated to do so for the purpose of quickly instantiating enterprise wide configurations of 2 to 16 DME type devices and would have expected no more than predictable results therefrom.

7. Regarding claim 2, 13, 24

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein causing the selectable indication of the at least one of the one or more zone scenes to be displayed comprises causing an indication of the group configuration associated with the two or more independent playback devices to be displayed. (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: configurations may be opened or otherwise displayed, edited or otherwise operated upon and instantiated to the playback devices (s), saved, etc.)

8. Regarding claim 2, 13, 24

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the indication of the group configuration comprises one group of independent playback devices (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: up to 16 playback devices may be configured, operated upon, etc.).

9. Regarding claim 4, 15, 26

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the indication of the group configuration comprises two or more groups of independent playback

Art Unit: 2656

devices (DME: pp 3-8; 47-69, 92-95, Ch. 4, 5; see also pp 493-499: up to 16 playback devices may

Page 7

be variously grouped).

10. Regarding claim 5, 16, 27

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: after causing the indication of the at least one of the one or more zone scenes to be displayed, cause at least one of the one or more zone scenes to be activated (DME: pp 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent playback device(s), opened/edited zone scenes instantiated upon

the plurality of playback devices using a synchronization command or front panel controls).

11. Regarding claim 6, 17, 28

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: after causing the indication of the at least one of the one or more zone scenes to be displayed, cause one of the at least one of the one or more zone scenes to be activated (DME: pp 92-95, Ch. 4, 5; see also pp 493-499: configuration manager comprises a displayed indication of available zones, scenes which may be selectably opened, edited, saved, closed, deleted, etc. by the user, the selectable file controls operable upon the controller or upon the front screen of each/any of the independent playback device(s), opened/edited zone scenes instantiated upon the plurality of playback devices using a synchronization command or front panel controls).

12. Regarding claim 7, 18, 29

Application/Control Number: 15/130,919

Art Unit: 2656

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions further configured to: before receiving the zone configuration data, send, to the first independent playback device, a command to save the at least one of the one or more zone scenes (DME: pp 3-8; 47-69: configurations saved to particular any independent playback device(s), a configuration must be saved in order to be further opened, received, etc.).

13. Regarding claim 8, 19, 30

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the command to save the at least one of the one or more zone scenes comprises (a) an indication of two or more independent playback devices identified by the zone scene and (b) at least one other parameter pertaining to the scene (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: a configuration characterizes a zone, scene, etc. as a collection of components instantiated on/over plural independent playback devices and a description of connections between/among said components and devices).

14. Regarding claim 9, 20, 31

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions wherein the at least one other parameter pertaining to the scene is one or more of (i) a volume level (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6: volume controls variously managed by at least mixer components as well as other among the output controls), (ii) a specific music (DME: Ch. 3, 6: analog input controls define the specific audio input to a particular channel in the configuration or a way file to a particular channel), (iii) a play mode (DME: Ch. 3, 6: play modes include determinations of specific music by directing an input to a channel or a way file to a channel), or (iv) an

Art Unit: 2656

equalization (DME: Ch. 6: equalization parameters saved, edited instantiated by at least

Page 9

equalizer components included in a zone, scene, configuration).

15. Regarding claim 10, 21, 32

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein each

of the independent playback devices is associated with a name (DME: pp 3-8; 47-51, 54-69:

various DME type devices identified by name).

16. Regarding claim 11, 22, 33

DME teaches or suggests:

A multimedia controller, method and medium bearing coded instructions, wherein each

of the one or more zone scenes is associated with a name (DME: pp 3-8; 47-51, 54-69, Ch. 4, 6:

configurations saved, opened, instantiated by name).

Response to Arguments

17. Applicant's arguments filed 10/25/18 have been fully considered but they are not persuasive.

Applicant argues: "the Examiner's "Reasons for Allowance" of application 14/465,457, to which

the current application claims priority, the Examiner identified claim limitations in that application that

were not taught in the prior art." The claims in the '457 application diverge from, and are considerably

more specific than the instant claims. As Applicant admits in the response filed 4/18/16 in the '457

application: "patentability of the claims does not necessarily rest on only the aspects that the Examiner

listed in the statement of reasons for allowance."

Art Unit: 2656

Page 10

Regarding the instant prior art rejection Applicant argues unpersuasively that the DME specification does not at least suggest ". . . wherein the zone configuration data is configured via the controller and maintained at the first independent playback device, and wherein the zone configuration data characterizes one or more zone scenes, wherein at least one of the one or more zone scenes identifies a group configuration associated with two or more independent playback devices." Applicant asserts that DME discloses a master DME which is associated at most with one independent playback device." DME in fact discloses that zone scenes identify group configurations associated with up to as many as 16 devices in a group and 32 such groups in a zone (see DME P 3).

Applicant then argues unpersuasively for a particular definition of term "independent playback devices." However as noted above the specification does not bear a clear definition of independence. As such Examiner considers an independent device as a device capable of operation without reliance on another device for such operation. In Examiners broadly reasonable interpretation each DME device is physically distinct; independently powered; independently operable and/or groupable as a zone scene; and supportive of independently addressable sets of inputs and outputs (see DME pp 3-8 for an overview of the independent functionality of DME devices as well as the groupwise capability of DME devices configures as zone, scenes, etc.).

Applicant's argument are thus considered not persuasive and no claims are currently allowable.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH

Application/Control Number: 15/130,919

Art Unit: 2656

shortened statutory period, then the shortened statutory period will expire on the date the advisory

action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing

date of the advisory action. In no event, however, will the statutory period for reply expire later than

SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to PAUL C MCCORD whose telephone number is (571)270-3701. The examiner can

normally be reached on 730-630 M-F.

Examiner interviews are available via telephone, in-person, and video conferencing using a

USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use

the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Curtis Kuntz can be reached on (571) 272-7499. The fax phone number for the organization where this

application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer

Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR

CANADA) or 571-272-1000.

/PAUL C MCCORD/

Primary Examiner, Art Unit 2656

Page 38 of 38